

Prop 63 Mental Health Services Oversight and Accountability Commission (MHSOAC) Evaluation Fact Sheet ¹

EVALUATION OF THE IMPACT OF EARLY INTERVENTION PROGRAMS FUNDED BY THE MENTAL HEALTH SERVICES ACT (MHSA)

Primary Purpose:

Investigators assessed the impact of three “clusters” of early intervention programs on consumers’ MHSA-defined mental health outcomes.

The three clusters of programs targeted the following populations:

Cluster 1: Children and youth displaying emotional disturbance as a result of trauma

Cluster 2: Youth, transition-age-youth, and younger adults with prodromal symptoms or experiencing first onset of psychosis

Cluster 3: Older adults experiencing early onset of depression or depressive symptoms

Background:

Twenty percent of funds from the MHSA are committed to Prevention and Early Intervention (PEI) programs. Primary MHSA goals for PEI are to prevent mental illness from becoming severe and disabling and improve timely access to mental health services for underserved populations. The intent of PEI is to shift California’s mental health system toward a recovery-oriented, “help-first” strategy and away from a crisis-oriented “fail-first” response to serious mental illness and its consequences.

Methodology:

Four criteria were used to decide which programs to include in each cluster.

Cluster Inclusion Criteria:

- Early Intervention Programs:** Selected programs served individuals with early onset of a mental illness or emotional disturbance.
- PEI Funding:** Early intervention programs were at least partially funded by MHSA PEI funds.
- Consumer Population Defined by Clinical Assessment:** Consumers served by selected programs were shown via systematic assessment to have a “clinical level” of symptoms indicative of early onset of a mental illness or emotional disturbance.

- Program Components and Implementation:** Selected programs provided promising or evidence-based treatment components that were implemented with fidelity and shown in peer-reviewed research to be effective for each cluster’s specific target population.

The programs listed below met these inclusion criteria. Analyses were conducted to determine the impact of these programs on MHSA goals.

Programs Included in Each Cluster:

Cluster 1: Trauma-Focused Cognitive Behavioral Therapy (TF-CBT) and Cognitive Behavioral Intervention for Trauma in Schools (CBITS) being implemented in 8 counties.

Cluster 2: Prevention and Recovery in Early Psychosis (PREP), Portland Identification and Early Referral (PIER), and Sacramento Early Diagnosis and Preventative Treatment (SacEDAPT) being implemented in 8 counties.

Cluster 3: the IMPACT program, Healthy IDEAS (Identifying Depression, Empowering Activities for Seniors), and Program to Encourage Active Living for Seniors (PEARLS) being implemented in 10 counties.


Major Findings:

Cluster 1: Children and youth displaying emotional disturbance as a result of trauma

Cluster 1 programs showed promising evidence of preventing mental illness from becoming more severe.

- TF-CBT participants showed improved functioning on the Youth Outcomes Questionnaire (YOQ) and moved into the non-clinical range post-intervention.

Percentage of Participants Showing Clinical Levels on Each Subscale of the YOQ Before and After the Intervention



¹ This series of fact sheets provides brief summaries of MHSOAC evaluations of Prop 63 and California’s public, community-based mental health system. The MHSOAC is charged with providing oversight and accountability per the Mental Health Services Act (also known as Prop 63).

- This pattern of improvement held across counties and underserved racial groups.

Cluster 1 programs also showed evidence of providing access to services for traditionally underserved demographic groups.

- Most Cluster 1 programs served various groups at rates proportional to each group's estimated need for service.

Cluster 2: Youth, transition-age-youth, and younger adults with prodromal symptoms or experiencing first onset of psychosis

Findings indicated that Cluster 2 programs likely helped prevent mental illness from becoming more severe.

- For PREP, PIER, and SacEDAPT, findings showed reduced depression and improved functioning from pre- to post-intervention.

Participants' Reports of Depression and Functioning Before and After the Intervention

Outcome/Scale	N	Before Intervention	After Intervention	Change Over Time
Depression: Patient Health Questionnaire (PHQ-9)	56	9.02	7.11	-1.91 Reduced Depression
Functioning: Global Assessment of Functioning (GAF)	167	42.87	47.51	4.63 Increased Functioning

For Cluster 2 programs, there was also evidence of reduced involvement in the justice system.

- Participants reported significantly fewer arrests following the intervention.

Participants' Reports of Whether or Not They Had Been Arrested Prior to Intake and Between Intake and Follow-up

	Before Intake	Between Intake and Follow-up
Arrested	15 (18.5%)	3 (3.7%)
Not Arrested	66 (81.5%)	78 (96.3%)

There was also some evidence of reduced unemployment, homelessness, and school drop out. However, small sample sizes prevented definitive conclusions for these outcomes.

Cluster 2 programs showed some evidence of providing access to services for traditionally underserved demographic groups.

- Underserved racial/ethnic groups were served at rates proportional to each group's estimated need for service.

Cluster 3: Older adults experiencing early onset of depressive symptoms

Cluster 3 programs likely helped prevent mental illness from becoming more severe.

- IMPACT, PEARLS, and Healthy IDEAS participants showed improvement in depression, anxiety, and functioning from pre- to post-intervention.

Participants' Reports of Depression, Anxiety and Functioning Before and After the Intervention

Outcome/Scale	N	Before Intervention	After Intervention	Change Over Time
Depression: Patient Health Questionnaire (PHQ-9)	415	11.10	6.44	-4.66 Reduced Depression
Anxiety: Generalized Anxiety Disorder (GAD-7)	25	10.43	6.31	-4.22 Reduced Anxiety
Functioning: Global Assessment of Functioning (GAF)	16	57.16	68.36	11.20 Increased Functioning

Findings were mixed for providing access to services for traditionally underserved groups.

- Some programs provided services in relative proportion to each group's estimated need; Black participants were even "over-served" in some counties.
- Other counties provided low rates of service to underserved groups (e.g., males and Hispanics were underserved).

Cluster 3 programs positively impacted suicide.

- Following the intervention, participants showed statistically significant reductions in suicidal thoughts and behaviors.

Participants' Levels of Suicidal Thoughts and Behaviors Before and After the Intervention

Outcome/Scale	N	Before Intervention	After Intervention	Change Over Time
Suicide: Patient Health Questionnaire (PHQ-9)	233	0.25	0.15	-0.09 Reduced Suicide

Principal Investigators:

University of California Los Angeles Center for Healthier Children, Families, and Communities; Trylon Associates.

Links to Study:

Cluster 1 Report:

http://www.mhsoac.ca.gov/meetings/docs/Meetings/2014/July/OAC_072414_5A_Cluster1.pdf

Cluster 2 Report:

http://www.mhsoac.ca.gov/meetings/docs/Meetings/2014/July/OAC_072414_5A_Cluster2.pdf

Cluster 3 Report:

http://www.mhsoac.ca.gov/meetings/docs/Meetings/2014/July/OAC_072414_5A_Cluster3.pdf

Implications:

Overall, these cluster evaluations indicate that early intervention programs are positively impacting consumers' mental health outcomes. For example, there is evidence that early intervention programs reduce the severity of symptoms of mental illness. In most counties, services are being offered at rates consistent with the needs of traditionally underserved groups.